



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/928,011	08/10/2001	Holger Sedlak	1999P1177	7290
24131 7590 08/22/2007 LERNER GREENBERG STEMER LLP P O BOX 2480 HOLLYWOOD, FL 33022-2480			EXAMINER PETRANEK, JACOB ANDREW	
			ART UNIT 2183	PAPER NUMBER
			MAIL DATE 08/22/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/928,011

Applicant(s)

SEDLAK ET AL.

Examiner

Jacob Petranek

Art Unit

2183

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 July 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 8-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 8-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 8-10 are pending.
2. The office acknowledges the following papers:

Claims and arguments filed 7/19/2007.

New Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claim 9 is rejected under 35 U.S.C. §112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 9 contains no period at the end of the claim. Correction is required.

Maintained Claim Rejections - 35 USC § 112

5. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

6. Claim 8 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Claim 8 recites "an adding unit ..." and "a subtracting unit ...". The claims do not specify that these units are separate units or a combined unit since subtraction and addition are one and the same that operate on different data. The applicants pointed out support within the specification that the adding and subtracting units are in a single device. However, no support within the specification has been found that details the adding and subtracting unit being separate units. Thus, the claim doesn't have written description support of the claimed invention without stating that the adding unit and subtracting unit is within a single device.

7. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

8. Claim 8 is rejected under 35 U.S.C. §112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 8 recites "an adding unit ..." and "a subtracting unit ...". It's unclear if both the adding unit and the subtracting unit are separate units or a combined unit since subtraction and addition are one and the same that operate on different data. The applicant pointed out support within the specification that the adding and subtracting units are in a single device. However, no support within the specification has been found that details the adding and subtracting unit being separate units. For examination purposes, these two units will be interpreted as a single device.

Art Unit: 2183

New Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goetz (U.S. 5,854,913), in view of Yoshida (U.S. 5,088,030), in view of May et al. ("The PowerPC Architecture"), in view of K. Short ("Embedded Microprocessor Systems Design"), and in view of Kanzaki (U.S. 5,983,018).

11. As per claim 8:

Goetz discloses a microprocessor for processing various assembler codes, comprising:

A program counter (Goetz: Figure 9 element 807, column 16 lines 47-64)(The program counter is input into element 807);

A computation unit for computing relative addresses: (NIFA Compute 807, figure 9 and column 16, lines 47-64)

While Goetz teaches multiple instruction sets being implemented and indicated by the Q bit (Goetz: Column 15 lines 40-45, column 15 lines 63-67, and column 16 lines 33-36), Goetz is silent on how the different offsets for branch instructions are handled. It is well known in the art that PowerPC branch instructions add an offset to the address of the branch instruction (May: Page 36, numeral 1), while x86 branch instructions add

Art Unit: 2183

an offset to the address of the instruction following the branch instruction (Short: page 190, 2nd paragraph).

Goetz fails to teach a multiplexer having a first input, a second input for receiving a 0 value, and a third input receiving a parameter designating a respective assembler code and, depending on how the parameter is set, a different relative addressing takes place; an addition unit connected between said program counter and said computation unit, said adding unit having a first input connected to said program counter, a second input for an instruction length, and an output connected to said computation unit; a subtracting unit connected between said program counter and said computation unit for the relative addresses, said subtracting unit having a first input connected to said program counter, a second input connected to said multiplexer, a third input receiving the parameter and an output connected to said computation unit; and a memory for storing an instruction length and having an output connected to said first input of said multiplexer.

However, Yoshida disclosed hardware to implement an x86-like branch instruction, which adds an offset to the address of the instruction following the branch instruction:

A program counter (Yoshida: Figure 2 element 13, column 3 lines 32-38);

A computation unit for computing relative addresses (Yoshida: Figure 2 element 17, column 3 lines 45-56)(The displacement is the offset that is added to the program counter output from the first adder.);

An adding unit connected between said program counter and said computation unit, said adding unit having a first input connected to said program counter, a second input and an output connected to said computation unit (Yoshida: Figure 2 element 15, column 3 lines 39-44)(The first adder has a first input from element 13, which stores the PC. The first adder also has a second input that is the word length of the current instruction. The output of the first goes to the second adder that computes relative addresses for branch instructions.);

A subtracting unit connected between said program counter and said computation unit for the relative addresses, said subtracting unit having a first input connected to said program counter, a second input, and an output connected to said computation unit (Yoshida: Figure 2 element 15, column 3 lines 39-44)(The first adder has a first input from element 13, which stores the PC. The first adder also has a second input that is the word length of the current instruction. The output of the first goes to the second adder that computes relative addresses for branch instructions. It is inherent that a binary adder is also a subtraction unit if the binary inputs are in two's complement form, because there is no difference in hardware between adding two's complement numbers and subtracting two's complement numbers. A two's complement adder is inherently a subtraction unit as well.);

A memory for storing an instruction length and having an output connected to said first input of said multiplexer (Yoshida: Figure 2, column 4 lines 1-7)(The word length is decoded from the instruction. Therefore, the word length is part of the

instruction that is stored in memory. Thus, the memory storing the instruction stores the word length that is inputted to the first adder.).

The processor of Goetz contains instruction sets and their equivalent pipelines for x86 and Power PC instructions. Goetz is silent on how to implement the PC computations for x86 instructions. One of ordinary skill in the art would have been motivated by this to find Yoshida that implements PC calculations through two adders. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement the PC calculations of Yoshida into the processor of Goetz.

Goetz and Yoshida failed to teach a multiplexer having a first input, a second input for receiving a 0 value, and a third input receiving a parameter designating a respective assembler code and, depending on how the parameter is set, a different relative addressing takes place; an addition unit having a second input connected to said multiplexer and a third input receiving the parameter; and a subtracting unit having a second input connected to said multiplexer and a third input receiving the parameter.

However, May disclosed a multiplexer having a first input, a second input for receiving a 0 value, and a third input receiving a parameter designating a respective assembler code and, depending on how the parameter is set, a different relative addressing takes place (May: Page 36 number 1)(Goetz: Figure 9 element Q bit)(May disclosed that Power PC instructions use the branch instruction address instead of the next PC that Yoshida uses. One of ordinary skill in the art would have realized that a MUX would need to be used to accommodate both types of calculations. A zero would be added with the current PC for Power PC branch instructions and the instruction

Art Unit: 2183

length of Yoshida would be added to the current PC for all other instructions. It's obvious to one of ordinary skill in the art that when a Power PC branch instruction is decoded, the Q bit of Goetz would control the MUX to select the zero value instead of the instruction length value.).

An addition unit having a second input connected to said multiplexer (May: Page 36 number 1)(May disclosed that Power PC instructions use the branch instruction address instead of the next PC that Yoshida uses. One of ordinary skill in the art would have realized that a MUX would need to be used to accommodate both types of calculations. A zero would be added with the current PC for Power PC branch instructions and the instruction length of Yoshida would be added to the current PC for all other instructions. It's obvious to one of ordinary skill in the art that when a Power PC branch instruction is decoded, a control signal would control the MUX to select the zero value instead of the instruction length value. The output of the MUX is sent to the adder/subtractor unit.); and

A subtracting unit having a second input connected to said multiplexer (May: Page 36 number 1)(May disclosed that Power PC instructions use the branch instruction address instead of the next PC that Yoshida uses. One of ordinary skill in the art would have realized that a MUX would need to be used to accommodate both types of calculations. A zero would be added with the current PC for Power PC branch instructions and the instruction length of Yoshida would be added to the current PC for all other instructions. It's obvious to one of ordinary skill in the art that when a Power PC branch instruction is decoded, a control signal would control the MUX to select the

zero value instead of the instruction length value. The output of the MUX is sent to the adder/subtractor unit.).

Goetz and Yoshida are both silent as how to correctly calculate a branch target address. May disclosed that the current PC value is used to add the branch displacement instead of the next PC. One of ordinary skill in the art would have been motivated to find out how to correctly calculate branch instructions in order to correctly calculate the branch target address to ensure valid program results. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement the teachings of May into the processor of Goetz and Yoshida.

Goetz, Yoshida, and May failed to teach an addition unit having a third input receiving the parameter; and a subtracting unit having a third input receiving the parameter.

However, Kanzaki disclosed an addition unit having a third input receiving the parameter (Kanzaki: Figure 6 elements 43-44, column 6 lines 31-48)(Yoshida: Figure 2 element 15)(Elements 43-44 tells if the flag is set from an instruction that requires the PC be decremented. When combined with Yoshida, this element tells the first adder of Yoshida when an exception occurred that requires a subtraction to get the original PC of the offending instruction. When a subtraction isn't required, the first adder operates normally as described by Yoshida.); and

A subtracting unit having a third input receiving the parameter (Kanzaki: Figure 6 elements 43-44, column 6 lines 31-48)(Yoshida: Figure 2 element 15)(Elements 43-44 tells if the flag is set from an instruction that requires the PC be decremented. When

combined with Yoshida, this element tells the first adder of Yoshida when an exception occurred that requires a subtraction to get the original PC of the offending instruction. When a subtraction isn't required, the first adder operates normally as described by Yoshida.).

Yoshida disclosed a method of generating the next PC for a next instruction to be fetched from the instruction cache. Yoshida failed to teach interrupt and exception handling. One of ordinary skill in the art would have been motivated to include interrupt and exception handling within the processor of Yoshida and Goetz to allow for corrective action when a problem occurs in the processing of instructions. Therefore, one of ordinary skill in the art would have been motivated to find how to handle interrupts and exceptions to add the functionality of Kanzaki to correctly point to the offending instruction when an interrupt is finished. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention to implement the interrupt handling method of Kanzaki to insure that the correct program counter will be used once execution is restarted.

12. As per claim 9:

Claim 9 essentially recites the same limitations of claim 8. Therefore, claim 9 is rejected for the same reasons as claim 8.

13. As per claim 10:

Claim 10 essentially recites the same limitations of claim 8. Therefore, claim 10 is rejected for the same reasons as claim 8.

Response to Arguments

14. The arguments presented by Applicant in the response, received on 7/19/2007 are not considered persuasive.

15. Applicant argues "The specification supports the adding unit and subtracting unit being separate. For example, figure 2 and figure 3 respectively show a separate adder and subtractor."

This argument is not found to be persuasive for the following reason. The examiner agrees that figures 2 and 3 each independently show an adder or subtractor. However, that's not what is being claimed in claim 8. The examiner argues in the 112 rejections that these units could be interpreted as being integrated and separate. Neither figure 2 or 3 show both units being separated. For the adder and subtractor to be shown as separated in view of claim 8, figure 2 would have to show an adder unit and a subtractor unit separated, but having all of the connections the current adder unit does. Thus, a subtractor would have to be added to figure 2 with inputs from the PC and MUX, along with an output going to element 10. Since this is not shown in the drawings nor explained in the specification, the rejections are upheld.

16. Applicant argues "There is no teaching in Kanzaki or Yoshida to combine those references in the manner the office action suggested."

This argument is not found to be persuasive for the following reason. In view of the recent Supreme Court ruling KSR vs. Teleflex, the TSR approach isn't required to combine two references together. Rather, the court ruled, it's one of many approaches

Art Unit: 2183

that can be used to combine two references together. In this case, the knowledge of one of ordinary skill in the art was used to combine the two references.

17. Applicant argues "Kanzaki and Yoshida would always require the same result, caused by Kanzaki's teaching of always decrementing the program counter by the same preset value, when the flag is found to be set."

This argument is not found to be persuasive for the following reason. While the examiner agrees with applicant's statement, this doesn't mean that the combination of Kanzaki and Yoshida failed to teach the claimed limitation. The claimed limitation as of now are only claiming the arrangement of the hardware elements in primarily figures 2 and 3 of the drawings. The claims don't require specific data flow for individual branch instruction target address calculations. Kanzaki is added only to teach the subtraction and addition unit receive a parameter, and isn't intended to teach the addition and subtraction units, as well as the MUX'es that provide the connections to the addition and subtraction unit.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

The following is text cited from 37 CFR 1.111(c): In amending in reply to a rejection of claims in an application or patent under reexamination, the applicant or


patent owner must clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. The applicant or patent owner must also show how the amendments avoid such references or objections.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob Petranek whose telephone number is 571-272-5988. The examiner can normally be reached on M-F 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jacob Petranek
Examiner, Art Unit 2183


EDDIE CHAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100